



Rigger Level I Practical Exam Kit

Replacement Parts Order Form

Owner Representative Name:

Test Kit ID #:

Owner Name:

Owner Mailing Address:

City:

State:

Zip:

Country:

Phone:

Email:

Shipping Address (No P.O. Boxes)

Is this a Residential Address?

☐ Yes☐ No

City:

State:

Zip:

Country:

Responsible Practical Exam Proctor

(credentialed PEP in program for this test kit)

Practical Exam Proctor Signature:

PEP CCO ID#:

Date:

Method Of Shipments For Test Kits

☐

UPS Account #

☐

Fedex LTL or Freight Account #

☐

Credit Card

Method of Payment For Test Kit(s)

CCO will create a quote for approval once the order has been received. An invoice will be generated after the quote has been approved.

CCO will invoice by email. All orders are subject to CCO's Financial Terms and Conditions. All returns are subject to a minimum 20% restock fee. No returns after 30 days.

Please send completed forms to: testingpersonnel@ccocert.org

Owner Representative:

Test Kit ID #

Item #	TASK 1 - Pre-Use Inspection Gear: Slings	Order QTY
1	3' Synthetic Endless Roundsling - Good	
2	3' Synthetic Endless Roundsling - Illegible identification	
3	3' Synthetic Endless Roundsling - Heat damage	
4	3' Synthetic Endless Roundsling - Cut that exposes core yarns	
5	5' Synthetic Web Sling - Good	
6	5' Synthetic Web Sling - Cut in eye	
7	5' Synthetic Web Sling - Cut on side	
8	5' Synthetic Web Sling - Abrasion across sling body	
9	3' Alloy Chain Sling w/Hook & Latch - Good	
10	3' Alloy Chain Sling w/Hook & Latch - Weld splatter	
11	3' Alloy Chain Sling w/Hook & Latch - Metal loss	
12	4' Wire Rope Sling - Good	
13	4' Wire Rope Sling - Metal loss	
14	4' Wire Rope Sling - Crushing	
15	4' Wire Rope Sling - Kink	
Item #	TASK 1 - Pre-Use Inspection Gear: Hardware	Order QTY
16	Master Link (with or without flatspot) - Good	
17	Master Link - Overloaded (stretched)	
18	Master Link - Metal loss	
19	Shoulder Eye Bolt - Good	
20	Shoulder Eye Bolt - Bent shank	
21	Shoulder Eye Bolt - Metal loss	
22	Turnbuckle - Good	
23	Turnbuckle - Bent end fitting	
24	Turnbuckle - Metal loss on end fitting	
25	Swivel Hoist Ring - Good	
26	Swivel Hoist Ring - Metal loss	
27	Swivel Hoist Ring - Missing stirrup pin and/or ID/capacity/torque info	
28	Screw-Pin Anchor Shackle - Good	
29	Screw-Pin Anchor Shackle - Overloaded (stretched)	
30	Screw-Pin Anchor Shackle - Metal loss	
31	Eye Hook w/Latch - Good	
32	Eye Hook w/Latch - Metal loss	
33	Eye Hook - Open hook	

Item #	TASK 3 - Rigging Connections Gear: Slings	Order QTY
34	3' Synthetic Endless Roundsling	
35	6' Synthetic Endless Roundsling	
36	3' x 1" Wide Type III, 2-Ply Synthetic Web Sling	
37	5' x 1" Wide Type III, 1-Ply Synthetic Web Sling	
38	8' x 1" Wide Type III, 1-Ply Synthetic Web Sling	
39	6' x 7/32" (or 9/32") Alloy Chain Sling - Two-leg adjustable style A, with hooks & latches	
40	1/4" x 2' (6 x 19) Two-Leg Wire Rope Bridle, Mechanical splice with thimble eyes, hooks, & latches	
Item #	TASK 3 - Rigging Connections Gear: Hardware	Order QTY
41	1/2" x 1-1/2" Shoulder Type Machinery Eyebolt	
42	1/2" Swivel Hoist Rings	
43	5/8" Screw-Pin Anchor Shackles	
44	1/2" Screw-Pin Anchor Shackles	
45	1/2" x 2-1/2" Side-Pull Hoist Rings	
46	1/2" Master Link	
47	1/2" x 6" Shouldered Eyebolt, Nut, & Washer	
Item #	OTHER	Order QTY
48	1/2" Diameter x 6' Double-Braided Rope	
49	5/8" Diameter x 6' Double-Braided Rope	
50	6" x 30" Aluminum Rectangle Rigging Piece	
51	4" x 24" or 4" x 30" PVC Tube with Two Holes	
52	1/2" Standard Thread Nuts & Washers (5)	